

Safety Data Sheet

XSORB Universal Spill Clean-Up Super Absorbent

SDS Revision Date:

12/08/2014

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Identity

XSORB Universal Spill Clean-Up Super Absorbent

Alternate Names

Amorphous siliceous mineral silicate, XSORB Universal Spill Clean-Up Super Absorbent, A sodium potassium alumina silicate of various compositions.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use

See Technical Data Sheet.

Application Method

See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name

ADVANTAGE CHEMICAL, LLC

27617 Commerce Center Drive.
Temecula, CA 92590

Emergency

Customer Service: Advantage Chemical, LLC.

855-238-2436

2. Hazard identification of the product

2.1. Classification of the substance or mixture

No applicable GHS categories.

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.

No applicable GHS categories.

[Prevention]:

No GHS prevention statements

[Response]:

No GHS response statements

[Storage]:

No GHS storage statements

[Disposal]:

No GHS disposal statements

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and

Safety Data Sheet

XSORB Universal Spill Clean-Up Super Absorbent

SDS Revision Date:

12/08/2014

Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Amorphous Alumina Silicate Perlite CAS Number: 0093763-70-3	75 - 100	Not Classified	[1][2]

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

*The full texts of the phrases are shown in Section 16.

4. First aid measures

4.1. Description of first aid measures

General	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
Inhalation	If a person sensitive to inert dust experiences coughing, remove the person to an area clear of dust.
Eyes	If dust particles lodge in eyes, use standard eye wash solutions or water and allow eyes to clear.
Skin	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
Ingestion	If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Overview	Inhalation: Congestion and irritation of throat, nasal passages and upper respiratory systems. Persons sensitive to inert dust may experience coughing when exposed to heavy concentration of airborne material. Eyes: Temporary irritation and inflammation. Target Organs: Lungs Primary Routes of Entry (Exposure): Inhalation Medical Conditions Aggravated by Exposure: Pre-existing upper respiratory and lung disease such as, but not limited to bronchitis, emphysema and asthma. Inhaling of high amounts of any nuisance dust over long periods may overload lung clearance mechanism and make lungs more vulnerable to respiratory disease. See section 2 for further details.
-----------------	--

5. Fire-fighting measures

5.1. Extinguishing media

Use media appropriate for surrounding area.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Reacts with Hydrofluoric Acid to form toxic silicon tetra fluoride gas.

Safety Data Sheet

XSORB Universal Spill Clean-Up Super Absorbent

SDS Revision Date:

12/08/2014

5.3. Advice for fire-fighters

None applicable if product is unused. If used to absorb flammable liquids, then consult SDS of the flammable liquid.

ERG Guide No. ----

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Containment Procedures:

Sweep with broom. If product is dry and dusty, add water to suppress dust. If a water spill occurs skim or net material from water.

Clean-Up Procedures:

Wastes are not hazardous as defined by the Resource Conservation and Recovery Act (RCRA; 40 CFR 261).

Comply with state and local regulations for disposal of these products. If used to collect liquid material, dispose in compliance with MSDS of collected liquid.

7. Handling and storage

7.1. Precautions for safe handling

Maintain good housekeeping practice. Remove material after absorption has taken place. Reseal container after use to prevent evaporation of wetting agent.

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Hydrofluoric Acid

Warehouse storage should be in accordance with package directions, if any. Material should be kept dry and protected from the elements.

7.3. Specific end use(s)

No data available.

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
0093763-70-3	Amorphous Alumina Silicate Perlite	OSHA	TWA 15 mg/m3 (total) TWA 5 mg/m3 (resp)
		ACGIH	No Established Limit

Safety Data Sheet

XSORB Universal Spill Clean-Up Super Absorbent

SDS Revision Date:

12/08/2014

		NIOSH	TWA 10 mg/m3 (total) TWA 5 mg/m3 (resp)
		Supplier	No Established Limit

The exposure limits for nuisance dust are: OSHA PEL: 15 mg/m3 (50 mppcf*) TWA, ACGIH 10 mg/m3.

Carcinogen Data

CAS No.	Ingredient	Source	Value
0093763-70-3	Amorphous Alumina Silicate Perlite	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

8.2. Exposure controls

Respiratory

Even though classified as a nuisance dust and treated with anti-dust wetting agent, we recommend use of NIOSH approved dust respirator when excessive dust concentrations are airborne.

Eyes

Safety glasses/goggles usually not necessary

Skin

Not applicable

Engineering Controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

Other Work Practices

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

9. Physical and chemical properties

Appearance	White or Buff aggregate or powder solid Particles
Odor	No
Odor threshold	Not Measured
pH	NA
Melting point / freezing point	2400 F
Initial boiling point and boiling range	NA
Flash Point	NA
Evaporation rate (Ether = 1)	NA
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	Lower Explosive Limit: NA Upper Explosive Limit: NA
Vapor pressure (Pa)	NA

Safety Data Sheet

XSORB Universal Spill Clean-Up Super Absorbent

SDS Revision Date:

12/08/2014

Vapor Density	NA
Specific Gravity	Neutral = 2.28
Solubility in Water	< 1% Slightly
Partition coefficient n-octanol/water (Log Kow)	Not Measured
Auto-ignition temperature	NA
Decomposition temperature	NA
Viscosity (cSt)	NA
VOC %	NA

9.2. Other information

No other relevant information.

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

Hydrofluoric Acid

10.6. Hazardous decomposition products

Reacts with Hydrofluoric Acid to form toxic silicon tetra fluoride gas.

11. Toxicological information

Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LD50, mg/L/4hr	Inhalation Dust/Mist LD50, mg/L/4hr	Inhalation Gas LD50, ppm
Amorphous Alumina Silicate Perlite - (93763-70-3)	No data available	No data available	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description

Safety Data Sheet
XSORB Universal Spill Clean-Up Super Absorbent

SDS Revision Date:

12/08/2014

Acute toxicity (oral)	---	Not Applicable
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	---	Not Applicable
Serious eye damage/irritation	---	Not Applicable
Respiratory sensitization	---	Not Applicable
Skin sensitization	---	Not Applicable
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable

Safety Data Sheet

XSORB Universal Spill Clean-Up Super Absorbent

SDS Revision Date:

12/08/2014

12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Eco toxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Amorphous Alumina Silicate Perlite - (93763-70-3)	Not Available	Not Available	Not Available

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bio accumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	Not Applicable	Not Regulated	Not Regulated
14.2. UN proper shipping name	Not Regulated	Not Regulated	Not Regulated
14.3. Transport hazard class(es)	DOT Hazard Class: Not Applicable	IMDG: Not Applicable Sub Class: Not Applicable	Air Class: Not Applicable
14.4. Packing group	Not Applicable	Not Applicable	Not Applicable
14.5. Environmental hazards			
IMDG	Marine Pollutant: No		
14.6. Special precautions for user	No further information		

Safety Data Sheet

XSORB Universal Spill Clean-Up Super Absorbent

SDS Revision Date:

12/08/2014

15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

Toxic Substance Control Act (TSCA) All components of this material are either listed or exempt from listing on the TSCA Inventory.

WHMIS Classification Not Regulated

US EPA Tier II Hazards

Fire: No

Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): No

Delayed (Chronic): No

EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%):

Crystalline Silica - Quartz

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

N.J. RTK Substances (>1%):

Amorphous Alumina Silicate Perlite

Penn RTK Substances (>1%):

Amorphous Alumina Silicate Perlite

Safety Data Sheet
XSORB Universal Spill Clean-Up Super Absorbent

SDS Revision Date:

12/08/2014

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is: Not applicable

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

The information herein is presented in good faith and believed to be accurate as of the effective date given. However, no warranty, expressed or implied, is given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial and local laws.

End of Document